APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/722,841	11/25/2003	Daniel P. Baumberger	042390.P18131	8180

45209   7590   07/31/2008
INTEL/BSTZ
BLAKELY SOKOLOFF TAYLOR & ZAFMAN LLP
1279 OAKMEAD PARKWAY
SUNNYVALE, CA 94085-4040

EXAMINER
WAI, ERIC CHARLES

ART UNIT	PAPER NUMBER
2195	

MAIL DATE	DELIVERY MODE
07/31/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE **3** MONTH(S) OR THIRTY (30) DAYS,
WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed
  after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any
  earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on *15 May 2008*.

2a)☐ This action is **FINAL**.   2b)☒ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is
closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) *1-20 and 31-61* is/are pending in the application.

    4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) *1-20 and 31-61* is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☐ The drawing(s) filed on _____ is/are: a)☐ accepted or b)☐ objected to by the Examiner.

    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

    a)☐ All b)☐ Some * c)☐ None of:

      1.☐ Certified copies of the priority documents have been received.

      2.☐ Certified copies of the priority documents have been received in Application No. _____.

      3.☐ Copies of the certified copies of the priority documents have been received in this National Stage
application from the International Bureau (PCT Rule 17.2(a)).

    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1)☐ Notice of References Cited (PTO-892)

2)☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3)☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____.

4)☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.

5)☐ Notice of Informal Patent Application

6)☐ Other: _____.

DETAILED ACTION

1.   Claims 1-20, and 31-61 are presented for examination.

Claim Rejections - 35 USC § 103

2.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set
> forth in section 102 of this title, if the differences between the subject matter sought to be patented and
> the prior art are such that the subject matter as a whole would have been obvious at the time the
> invention was made to a person having ordinary skill in the art to which said subject matter pertains.
> Patentability shall not be negatived by the manner in which the invention was made.

3.   Claims 1-2, and 11-12 are rejected under 35 U.S.C. 103(a) as being

unpatentable over Macchiano et al. (US Pat No. 7,111,303 hereinafter Macchiano).

4.   Regarding claim 1, Macchiano teaches a method comprising:

detecting that a first virtual machine is attempting to transmit data to a second

virtual machine (col 3 lines 31-35, therein the invention is able to detect that data should

be transmitted);

mapping a transmitting memory element of the first virtual machine to a shared

physical memory element (col 5 lines 4-6, 23-25, and 54-58, wherein the virtual LAN

has internal buffer storage); and

mapping a receiving memory element of the second virtual machine to the

shared physical memory element (col 5 lines 4-6, 23-25, and 54-58).

   placing data from the first virtual machine into the shared physical memory

element via the transmitting memory element (col 5 lines 4-6 and 54-58, wherein

communication is to be performed); and

   receiving the placed data from the shared physical memory element into the

second virtual machine via the receiving memory element (col 5 lines 4-6 and 54-58,

wherein communication is to be performed).

5.   Macchiano does not explicitly teach the use of a shared physical memory

element. However, Macchiano does teach the use of internal buffer storage for data

transfers on the virtual LAN (col 5 lines 23-25). It would have been obvious to one of

ordinary skill in the art at the time of the invention that internal buffer storage is in fact a

shared physical memory element.

6.   Regarding claim 2, Macchiano does not explicitly teach:

   detecting that the first virtual machine has placed data in the shared physical

memory element; and

   informing the second virtual machine that data is available in the shared physical

memory element.

7.   It would have been well known to one of ordinary skill in the art at the time of the

invention to perform the steps of detecting the placement of data and informing the

second virtual machine that such data is available. Since resources are shared among

the various virtual machines, it would have been well known to one of ordinary skill that

continuously polling such resources by the second virtual machine would be highly

inefficient. As a result, directly informing the second virtual machine would be a more preferable course of action.

8.   Regarding claims 11-12, they are the article claims of claims 1-2 above. Therefore, they are rejected for the same reasons as claims 1-2 above.

9.   Claims 3-10, 13-20, and 31-61 are rejected under 35 U.S.C. 103(a) as being unpatentable over Macchiano et al. (US Pat No. 7,111,303 hereinafter Macchiano) in view of Applicant's Admitted Prior Art (AAPA).

10.   Regarding claim 3, Macchiano does not teach detecting if the first virtual machine is attempting to transmit data to a non-virtual machine (pg 3 lines 20-23); dynamically remapping the transmitting memory element of the first virtual machine to a physical device associated with the transmitting memory element (pg 3 lines 14-16).

11.   However, AAPA teaches these features in pg 3 lines 20-23 and lines 14-16 respectively. It would have been obvious to one of ordinary skill in the art to modify Macchiano to allow to the transmission of data to non-virtual machines. One would be motivated by the desire to support communications with a wider range of systems.

12.   Regarding claim 4, AAPA teaches wherein the transmitting memory element of the first virtual machine is part of a first virtual device; and the receiving memory

element of the second virtual machine is part of a second virtual device (Fig 1 and pg 4

lines 1-2).

13.   Regarding claim 5, AAPA teaches that the first virtual device and the second

virtual device are devices selected from a group including: an Ethernet device, a

network interface, an audio device, a storage device, and a video device (pg 3 line 20).

14.   Regarding claim 6, AAPA does not teach that the shared physical memory

element is a direct memory access (DMA) buffer.

15.   It would have been well known to one of ordinary skill in the art at the time of

invention to utilize a direct memory access buffer. The Microsoft Computer Dictionary

(Fifth Edition, 2002) teaches that DMA is "frequently used for data transfer directly

between memory and an 'intelligent' peripheral device".

16.   Regarding claim 7, AAPA teaches that detecting that a first virtual machine is

attempting to transmit data to a second virtual machine includes:

        monitoring the first virtual machine (pg 3 lines 14-16).

17.   AAPA does not explicitly teach comparing a destination of any data transmitted

by the first virtual machine to an address associated with the second virtual machine.

18.   It would have been obvious to perform this comparison. It is well known that the

act of transmitting data requires a destination address. Therefore, the step of detecting

an address match would have been well known.

19.   Regarding claim 8, Macchiano and AAPA do not explicitly teach that detecting

that a first virtual machine is attempting to transmit data to a second virtual machine

includes:

   reading a mapping configuration data that specifies default virtual device to physical

   device mappings;

      comparing the mapping configuration data for the first virtual machine to the

mapping configuration data of the second virtual machine;

      assuming that the first virtual machine is attempting to transmit data to the

second virtual machine, if a transmitting virtual device of the first virtual machine is

mapped to the same physical device as the receiving virtual device of the second virtual

machine.

20.   It would have been obvious to one of ordinary skill in the art to read and compare

mapping data. In order to transmit data, it would have been well known to determine

whether both virtual machines were connected to the same device. Therefore, one

would be motivated by the desire to determine whether the two virtual machines were

mapped to the same device.

21.   Regarding claim 9, AAPA teaches that mapping a transmitting memory element

of the first virtual machine to a shared physical memory element includes: determining if

the transmitting memory element is currently mapped to a transmitting memory element

of a physical device; if so, unmapping of the transmitting memory element from the

transmitting memory element of the physical device; and remapping the transmitting

memory element of the first virtual machine to the shared physical memory element (pg

3 lines 10-19, wherein it is inherent that the VMM would remap the virtual devices

depending on resource requirements).

22.   Regarding claim 10, AAPA teaches detecting that the second virtual machine is

attempting to transmit data to the first virtual machine; mapping a transmitting memory

element of the second virtual machine to the shared physical memory element; and

mapping a receiving memory element of the first virtual machine to the shared physical

memory element (pg 3 lines 17-19, wherein it is inherent that the virtual machines could

be switched to perform bi-directional communication).

23.   Regarding claims 13-20, they are the article claims of claims 3-10 above.

Therefore, they are rejected for the same reasons as claims 3-10 above.

24.   Regarding claim 31, Macchiano teaches a system comprising a virtual machine

system having a first and second virtual machine, the first and second virtual machine

having access to a shared physical memory (col 3 lines 31-35 and col 5 lines 23-25).

However, Macchiano does not explicitly teach a cross-talk detector in communication

with the virtual machine system to detect if a first virtual machine is attempting to

transmit data to a second virtual machine and a dynamic memory remapper to, upon

detecting by the cross-talk detector that the first virtual machine is attempting to transmit

data to the second virtual machine, map a first virtual memory of the first virtual machine

to a second virtual memory of the second virtual machine via the shared physical

memory element.

25.   AAPA implies that the VMM can be utilized as a cross-talk detector (pg 4 lines 3-

5 and pg 3 lines 4-6). It would have been obvious to one of ordinary skill in the art to

utilize a memory remapper to implement the loopback solution taught by AAPA (pg 4

lines 6-8). AAPA also teaches that the VM assures that the virtual machines are

mapped correctly (pg 3 lines 14-19).

26.   Regarding claim 32, AAPA teaches that the dynamic memory remapper is

capable of: mapping a transmitting memory element of the first virtual machine to a

shared physical memory element; and mapping a receiving memory element of the

second virtual machine to the shared physical memory element (pg 3 lines 7-12).

27.   Regarding claim 33, Macchiano and AAPA do not teach that the cross-talk

detector is further capable of: detecting that the first virtual machine has placed data in

the shared physical memory element; and informing the second virtual machine that

data is available in the shared physical memory element.

28.   It would have been well known to one of ordinary skill in the art at the time of the

invention to perform the steps of detecting the placement of data and informing the

second virtual machine that such data is available. Since resources are shared among

the various virtual machines, it would have been well known to one of ordinary skill that

continuously polling such resources by the second virtual machine would be highly inefficient. As a result, directly informing the second virtual machine would be a more preferable course of action.

29.   Regarding claim 34, AAPA teaches that the cross-talk detector is further capable of detecting if the first virtual machine is attempting to transmit data to a non-virtual machine (pg 3 lines 20-23); and the dynamic memory remapper is further capable of dynamically remapping the transmitting memory element of the first virtual machine to a physical device associated with the transmitting memory element (pg 3 lines 14-16).

30.   Regarding claim 35, AAPA teaches that the cross-talk detector is further capable of monitoring the first and second memories wherein the memories are part of virtual devices selected from a group including: an Ethernet device, a network interface, an audio device, a storage device, and a video device (pg 3 line 20).

31.   Regarding claim 36, Macchiano and AAPA do not teach that the shared physical memory element is a direct memory access (DMA) buffer.

32.   It would have been well known to one of ordinary skill in the art at the time of invention to utilize a direct memory access buffer. The Microsoft Computer Dictionary (Fifth Edition, 2002) teaches that DMA is "frequently used for data transfer directly between memory and an 'intelligent' peripheral device".

33.   Regarding claim 37, AAPA teaches that the cross-talk detector is capable of:
monitoring the first virtual machine (pg 3 lines 14-16).

34.   AAPA does not explicitly teach comparing a destination of any data transmitted
by the first virtual machine to an address associated with the second virtual machine.
It would have been obvious to perform this comparison. It is well known that the act of
transmitting data requires a destination address. Therefore, the step of detecting an
address match would have been well known.

35.   Regarding claim 38, AAPA teaches that the dynamic memory remapper is
capable of: determining if the transmitting memory element is currently mapped to a
transmitting memory element of a physical device; if so, unmapping of the transmitting
memory element from the transmitting memory element of the physical device; and
remapping the transmitting memory element of the first virtual machine to the shared
physical memory element (pg 3 lines 10-19, wherein it is inherent that the VMM would
remap the virtual devices depending on resource requirements).

36.   Regarding claim 39, AAPA teaches that the cross-talk detector is capable of
detecting that the second virtual machine is attempting to transmit data to the first virtual
machine; and wherein the dynamic memory remapper is capable of mapping a
transmitting memory element of the second virtual machine to the shared physical
memory element; and mapping a receiving memory element of the first virtual machine

to the shared physical memory element (pg 3 lines 17-19, wherein it is inherent that the virtual machines could be switched to perform bi-directional communication).

37.   Regarding claim 40, AAPA teaches that the first virtual memory element of the first virtual machine to a second virtual memory element of the second virtual machine are not identical but share substantially similar characteristics (Figure 1, 181 and 182).

38.   Regarding claim 41, Macchiano teaches a method of communicating between two virtual machines utilizing a virtual machine manager comprising:

   detecting that a first virtual machine, having a first virtual network interface, is attempting to transmit data to a second virtual machine, having a second virtual network interface, via the virtual network interfaces (col 3 lines 31-35, therein the invention is able to detect that data should be transmitted);

   mapping a transmitting memory element of the first virtual network interface to a virtual LAN (col 5 lines 4-6 and 54-58); and

   mapping a receiving memory element of the second virtual network interface to the virtual LAN (col 5 lines 4-6 and 54-58);

   placing data from the first virtual machine into the direct memory access buffer via the transmitting memory element of the first virtual network interface (col 5 lines 4-6 and 54-58, wherein communication is to be performed); and

receiving the placed data from the direct memory access buffer into the second

virtual machine via the receiving memory element of the second virtual network

interface (col 5 lines 4-6 and 54-58, wherein communication is to be performed).

39.   Macchiano does not explicitly teach mapping to a first direct memory access

buffer. Macchiano's invention is directed towards creating a virtual LAN to facilitate

communications between two virtual machines without using a physical network layer.

Therefore, the virtual LAN is equivalent to a direct memory access buffer in that it acts

as a medium to allow the sending and retrieval of transmitted data.

40.   Macchiano also does not teach mapping a to a second direct memory access

buffer for transmitting data from the second virtual machine to the first virtual machine.

41.   AAPA teaches mapping a transmitting buffer (Fig 1, component 181) and a

receive buffer (Fig 1, component 182) on a physical device in order to facilitate data

transfers. AAPA teaches that Fig 1 teaches an embodiment wherein the first VM

illustrates the write case and the second VM illustrates the read case, however, bi-

direction communication is often the norm (pg 3 lines 13-19).

42.   It would have been obvious to one of ordinary skill in the art at the time of the

invention to map a second direct memory access buffer. One would be motivated by the

desire to facilitate bi-direction communication as indicated by AAPA.

43.   Regarding claim 42, Macchiano teaches:

detecting that the first virtual machine has placed data in the direct memory

access buffer (col 9 lines 8-11); and

informing the second virtual machine that data is available in the direct memory

access buffer (Fig 6, step 216 and col 9 lines 27-29).

44.   Regarding claim 43, Macchiano does not explicitly teach that the first virtual

machine:

    placing at least one packet into the direct memory access buffer; and

    moving a tail register of the first virtual network interface to indicate how many

packets where written to the direct memory access buffer.

45.   Macchiano teaches using a virtual LAN along with IP protocols that enables such

communication (col 9 lines 2-7). It is well known that an IP header contains the total

length attribute to indicate the message size. Therefore, it would have been obvious to

one of ordinary skill in the art to place at least one packet into the direct memory access

buffer and to move the tail register of the first virtual network interface to indicate how

many packets where written to the direct memory access buffer.

46.   Regarding claim 44, Macchiano teaches further comprising the virtual machine

manager:

    sending a receive interrupt to the second virtual machine (col 9 line 28).

47.   Macchiano does not explicitly teach moving a receive descriptor head register of

the second virtual network interface by a number of packets written to the direct

memory access buffer and updating the status of the second network interface to

indicate that a packet has been received.

48.   It would have been obvious to one of ordinary skill in the art at the time of the

invention to move the receive descriptor head register of the second network interface

by the number of packets written to the direct memory access buffer and updating the

status of the second network interface to indicate that a packet has been received. It is

well known in the art to allocate an appropriately sized buffer to receiving data.

Furthermore, it is well known to send an acknowledge signal when receiving a packet.

49.   Regarding claim 45, Macchiano teaches further comprising the second virtual

machine: reading a packet from the direct memory access buffer (col 9 lines 41-43).

50.   Regarding claim 46, Macchiano does not explicitly teach further comprising, the

virtual machine manager:

        detecting that the second virtual machine has read the packet from the direct

memory buffer;

        updating the status of the first network interface to indicate that the packet has

been received; and

        injecting a transmit complete interrupt to the first virtual machine.

51.   It would have been obvious to one of ordinary skill in the art at the time of the

invention to detect the data read, update the status, and inject a transmit complete

interrupt. It is well known in that network communications frequently utilize an

acknowledge signal to indicate to the sender that transmission is successful.

52.   Regarding claim 47, Macchiano teaches that detecting that a first virtual machine
is attempting to transmit data to a second virtual machine includes: monitoring the first
virtual machine; comparing a destination of any data transmitted by the first virtual
machine to an address associated with the second virtual machine (col 9 lines 12-20).

53.   Regarding claim 48, Macchiano teaches a method comprising:

        statically mapping a transmitting memory element of the first virtual machine to a
shared physical memory element (col 5 lines 4-6, 23-25, and 54-58, wherein the virtual
LAN has internal buffer storage);

        statically mapping a receiving me mory element of the second virtual machine to
the shared physical memory element (col 5 lines 4-6, 23-25, and 54-58);

        placing data from the first virtual machine into the shared physical memory
element via the transmitting memory element (col 5 lines 4-6 and 54-58, wherein
communication is to be performed); and

        receiving the placed data from the shared physical memory element into the
second virtual machine via the receiving memory element (col 5 lines 4-6 and 54-58,
wherein communication is to be performed).

54.   Macchiano does not teach detecting that a first virtual machine is configured to
transmit data to a second virtual machine. AAPA teaches that virtual machine monitors
are responsible for mapping virtual devices to physical devices and such a mapping
process is the same for all devices (pg 3 lines 4-6). It would have been obvious to one
of ordinary skill in the art at the time of the invention that detecting a configuration would

be a necessary step in order to determine how the mapping of physical devices is to be performed.

55.   Regarding claim 49, Macchiano and AAPA do not teach:

statically mapping a receiving memory element of the first virtual machine to a second shared physical memory element; statically mapping a transmitting memory element of the second virtual machine to the second shared physical memory element; placing data from the second virtual machine into the second shared physical memory element via the transmitting memory element of the second virtual machine; and receiving the placed data from the shared physical memory element into the first virtual machine via the receiving memory element of the first virtual machine.

56.   It would have been obvious to one of ordinary skill in the art at the time of the invention to map the virtual machines to a second shared physical memory element. One would be motivated by the desire to enable bidirectional communication as taught by AAPA (pg 3 line 19) while maintaining data integrity of the two memory elements.

57.   Regarding claim 50, Macchiano and AAPA do not teach detecting that a first virtual machine is configured to transmit data to a second virtual machine is performed when the first virtual machine is started.

58.   It would have been obvious to one of ordinary skill in the art at the time of the invention to perform the detection upon initialization. One would be motivated by the

desire to increase the efficiency of the system by performing the mapping of resources

upon start up.

59.   Regarding claims 51 and 52, Macchiano and AAPA do not teach that detecting

that a first virtual machine is configured to transmit data to a second virtual machine

includes reading a configuration file that explicitly or implicitly denotes that the first and

second virtual machines are virtually coupled.

60.   It would have been obvious to one of ordinary skill in the art at the time of the

invention to read configuration data that denotes whether the virtual machines are

virtually coupled. Configuration information is well known in the art to define

arrangement of systems. One would be motivated by the desire to define ahead of time

the arrangement of virtual machines in such a system.

61.   Regarding claim 53, Macchiano and AAPA do not teach that the shared physical

memory element comprises a direct access memory buffer.

62.   It would have been well known to one of ordinary skill in the art at the time of

invention to utilize a direct memory access buffer. The Microsoft Computer Dictionary

(Fifth Edition, 2002) teaches that DMA is "frequently used for data transfer directly

between memory and an 'intelligent' peripheral device".

63.   Regarding claim 54, AAPA teaches that the virtual memory elements of the first

and second virtual machines are part of virtual devices selected from a group of virtual

devices comprising: an Ethernet device; a network device; an audio device; a storage

device; and a video device (pg 3 line 20).

64.   Regarding claims 55-61, they are the article claims of claims 48-54 above.

Therefore, they are rejected for the same reasons as claims 48-54 above.

Response to Arguments

65.   Applicant's arguments with respect to claims 1-20, and 31-61 have been

considered but are moot in view of the new ground(s) of rejection.

Conclusion

66.   Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Eric C. Wai whose telephone number is 571-270-1012.

The examiner can normally be reached on Mon-Thurs, 9am-5pm.

        If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Meng - Ai An can be reached on 571-272-3756. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Meng-Ai An/   /Eric C Wai/
Supervisory Patent Examiner, Art Unit 2195   Examiner, Art Unit 2195